

An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,

Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/ASL/150725/A

Issued Date-15.07.2025

AMBIENT AIR QUALITY MONITORING TEST REPORT

Name of Company : Ardent Steel Ltd., Keonjhar, Odisha.

Sample Description: Ambient AirDate of Monitoring: 23.06.2025Date of Receiving: 25.06.2025Date of Analysis: 25.06.2025

Sample Collected by : Mr. Rabindranath Das.

ANALYSIS RESULT

Sl.	LOCATION	MONITORING REPORT						
No.	LOCATION	$\frac{PM_{10}}{(\mu g/m^3)}$	$\frac{PM_{2.5}}{(\mu g/m^3)}$	SO_2 (µg/m ³)	NO_x $(\mu g/m^3)$	CO (mg/m ³)	NH_3 $(\mu g/m^3)$	
1	At the boundary near the water harvesting pond (East Direction)	70.8	34.6	11.8	20.2	0.21	<20	
2	At the Boundary near ESP (South Direction)	64.4	30.4	9.4	17.3	0.13	<20	
3	At the Boundary near Coal Fines Stock yard (North Direction)	61.5	28.8	7.6	13.2	0.06	<20	
4	Near Ball mill,Iron ore fines stock yard	69.6	33.9	12.2	18.2	0.24	<20	
NAAQ Standard-2009		100	60	80	80	4.0	400	
Methods of Analysis		IS: 5182 (Part-23)	IS: 5182 (Part- 24,2019)	IS: 5182 (Part-2)	IS: 5182 (Part-6)	IS: 5182 (Part-10)	IS: 5182 (Part- 25,2019)	

Notes:

> The results relate only to the sample tested.

ized Signatory

> This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.

Auemen.

vironmental

- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- > This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,
Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/ASL/150725/A

Issued Date-15.07.2025

AMBIENT AIR QUALITY MONITORING TEST REPORT

Name of Company : Ardent Steel Ltd., Keonjhar, Odisha.

Sample Description: Ambient AirDate of Monitoring: 23.06.2025Date of Receiving: 25.06.2025Date of Analysis: 25.06.2025

Sample Collected by : Mr. Rabindranath Das.

Sl.		MONITORING REPORT							
No.	LOCATION	О3	Pb	Ni	As	Benzene	BaP		
110.		(µg/m3)	(µg/m3)	(ng/m3)	(ng/m3)	$(\mu g/m3)$	(ng/m3)		
1	At the boundary near the								
	water harvesting pond	<10	< 0.05	<3.2	< 0.1	<5	<1		
	(East Direction)								
2	At the Boundary near	<10	< 0.05	<3.2	< 0.1	<5	<1		
	ESP (South Direction)		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\3.2	~0.1	7	\1		
3	At the Boundary near								
	Coal Fines Stock yard	<10	< 0.05	<3.2	< 0.1	<5	<1		
	(North Direction)								
4	Near Ball mill, Iron ore	<10	< 0.05	<3.2	< 0.1	<5	<1		
	fines stock yard	<10	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\3.2	~0.1	7	\1		
NAA	Q Standard-2009	100	1.0	20	6	5	1		
Methods of Analysis		IS: 5182 (Part-9)	IS: 5182 (Part- 22)	IS: 5182 (Part- 26)	As per CPCB method followed by, AAS	IS: 5182 (Part-11)	IS: 5182 (Part- 12)		

Notes:

The results relate only to the sample tested.

rized Signatory

➤ This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.

eal of Laborat

- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- > This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,
Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/ASL/150725/F

Issued Date-15.07.2025

FUGITIVE EMISSION MONITORING TEST REPORT

Name of Company : Ardent Steel Ltd., Keonjhar, Odisha.

Sample Description : Fugitive Emission

 Date of Monitoring
 : 23.06.2025

 Date of Receiving
 : 25.06.2025

 Date of Analysis
 : 25.06.2025

Sample Collected by : Mr. Rabindranath Das.

ANALYSIS RESULT

Sl.		RESU	JLT
No.	LOCATION	RSPM (μg/m³)	SPM (μg/m³)
1	Proportioning System (Ash & Coke Fines Bunker)	501	1075
2	Raw Material Transfer point of Mixture (Mixture Building)	433	1012
3	Ball Mill (Cool Grinding)	324	1203
4	Ball Mill (Flux & Coke Grinding)	487	1104
5	Finished Product Transfer points and plant de-dusting system	404	938
6	Travelling Grate & Rotary Kiln	388	916
Stand	lard as per Environment (Protection Act)3 rd Amendment		2000*
Rules	2-2012 by MoEF & CC. at 10 m distance from the source		

Authorized Signatory

Notes:

- The results relate only to the sample tested.
- > This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.

Environmenta

- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise
- ➤ This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,
Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/ASL/150725/N

Issued Date-15.07.2025

AMBIENT NOISE MONITORING TEST REPORT

Name of Company : Ardent Steel Ltd., Keonjhar, Odisha.

Sample Description : Noise Monitoring

Date of Monitoring : 23.06.2025

Sample Collected by : Mr. Rabindranath Das.

ANALYSIS RESULT

Sl. No.	Location	Noise Level In Day Time dB(A)	Noise Level In Night Time dB(A)
01	Ball Mill (Cool Grinding)	84.3	78.4
02	Raw Material Transfer point of Mixture (Mixture Building)	81.9	71.6

NATIONAL STANDARD NOISE LEVEL

Area	Category of Area/Zone	Permissible Limit in dB (A)		
Code		Day Time	Night Time	
A	Industrial Area	75	70	
В	Commercial Area	65	55	
С	Residential Area	55	45	
D	Silence Zone	50	40	

Authorized Signatory

Notes:

- > The results relate only to the sample tested.
- > This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.

Environmenta

- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,
Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/ASL/150725/St

Issued Date-15.07.2025

STACK EMISSION MONITORING TEST REPORT

Name of Company : Ardent Steel Ltd., Keonjhar, Odisha.

Sample Description : Stack Monitoring

Date of Monitoring : 23.06.2025

Sample Collected by : Mr. Rabindranath Das.

Stack Height : 30m

ANALYSIS RESULT

Sl.	Location of Sampling	Flue Gas	Concentration of Particulate Matter (PM) in mg/Nm ³
No.	1 8	Temp. in K	Result
01	ESP	394	43
	Permissible Limit as per CT	50	

Authorized Signatory

Notes:

The results relate only to the sample tested.

➤ This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.

Seal of Laborator

- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- > This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,

Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/ASL/150725/DW

Issued Date-15.07.2025

DRINKING WATER TEST REPORT

Name of Company : Ardent Steel Ltd., Keonjhar, Odisha.

Sample Description: Ground WaterDate of Monitoring: 23.06.2025Date of Receiving: 25.06.2025Date of Analysis: 25.06.2025

Sample Collected by : Mr. Rabindranath Das.
Sample Location : Canteen(RO Water)

ANALYSIS RESULT

Sl. No	Parameter	Unit	Desired Limit of drinking water (BIS:10500:2012)	Permissible Limit of drinking water (BIS:10500:2012)	Result
1	Colour	Hazen	5	15	<5
2	Odour	-	Agreeable	Agreeable	AL
3	Taste	-	Agreeable	-	AL
4	Turbidity	NTU	1	5	<1
5	pH Value @ 25°C	-	6.5-8.5	No Relaxation	6.62
6	Total Dissolved Solid	mg/l	500	2000	88
7	Alkalinity as CaCO ₃	mg/l	200	600	44
8	Total Hardness as CaCO ₃	mg/l	200	600	40
9	Iron as Fe	mg/l	0.3	No Relaxation	0.08
10	Nitrate as NO ₃ ⁻ -N	mg/l	45	No Relaxation	0.66
11	Sulphate as SO ₄	mg/l	200	400	8.0
12	Fluoride as F	mg/l	1.0	1.5	< 0.05
13	Calcium as Ca	mg/l	75	200	12.6
14	Chloride as Cl ⁻	mg/l	250	1000	14.9

N.B: AL - Agreeable

Authorized Signatory

Notes:

The result relate only to the sample tested.

➤ This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.

Seal of Laborato

- > The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,

Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/ASL/150725/SW

Issued Date-15.07.2025

SURFACE WATER TEST REPORT

Name of Company : Ardent Steel Ltd., Keonjhar, Odisha.

Sample Description:Surface WaterDate of Monitoring:23.06.2025Date of Receiving:25.06.2025Date of Analysis:25.06.2025

Sample Collected by : Mr. Rabindranath Das.

Sample Location : Reservoir

ANALYSIS RESULT

Sl. No	Parameter	Unit	GSR 422E Standards	Result
1	Colour	Hazen		5
2	Odour	-		U/O
3	pH Value @ 25°C	-	5.5-9.0	8.0
4	Total Dissolved Solid	mg/l	2100	902
5	Iron as Fe	mg/l	3.0	0.86
6	Sulphate as SO ₄	mg/l	1000	18.4
7	Nitrate as NO ₃ ⁻ -N	mg/l	50	14.6
8	Boron as B	mg/l	2.0	0.32
9	BOD for 3 days @ 27 ⁰ C	mg/l	30	18
10	COD	mg/l	250	62

N.B: U/O- Un-objectionable

Authorized Signatory

Notes:

The result relate only to the sample tested.

➤ This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.

Environmenta

- > The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- ➤ This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,

Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/ASL/150725/WW

Issued Date-15.07.2025

WASTE WATER TEST REPORT

Name of Company : Ardent Steel Ltd., Keonjhar, Odisha.

Sample Description: Waste WaterDate of Monitoring: 23.06.2025Date of Receiving: 25.06.2025Date of Analysis: 25.06.2025

Sample Collected by : Mr. Rabindranath Das.

Sample Location : STP Outlet

ANALYSIS RESULT

Sl. No.	Parameter	Unit	Effluent Discharge Standard	Testing Method	Result
1.	pH Value @ 25°C		6.5-9.0	APHA 4500 H ⁺ B	7.3
2.	Total Suspended Solids	mg/l	<20	APHA 2540 D	35.8
3.	B.O.D for 3 days @ 27°C	mg/l	<10	APHA 5210 B	9.0
4.	COD	mg/l	< 50	APHA 5220 C	40
5.	Oil & Grease	mg/l		APHA 5520 B	2.6

Authorized Signatory

Notes:

The result relate only to the sample tested.

➤ This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.

Environmental

- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- > This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,

Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/ASL/150725/BW

Issued Date-15.07.2025

WATER TEST REPORT

Name of Company : Ardent Steel Ltd., Keonjhar, Odisha.

Sample Description : Bore Well Water

 Date of Monitoring
 : 23.06.2025

 Date of Receiving
 : 25.06.2025

 Date of Analysis
 : 25.06.2025

Sample Collected by : Mr. Rabindranath Das.

Sample Location : Bore Well

GROUND WATER TEST REPORT

Slr.						IS105	00:2012
No.	Parameters	Unit	BW1	BW2	BW3	Acceptable Limit	Permissible Limit
1	Colour	Hazen	<05	<05	<05	5	15
2	Odour		AL	AL	AL	AL	AL
3	Taste		AL	AL	AL	AL	AL
4	Turbidity	NTU	<1.0	<1.0	<1.0	1	5
5	pH Value @ 25°C	mg/l	7.63	7.32	7.12	6.5-8.5	No Relaxation
6	Total Hardness (as CaCO ₃)	mg/l	170	168	178	200	600
7	Iron (as Fe)	mg/l	0.24	0.28	0.2	0.3	No Relaxation
8	Chloride (as Cl)	mg/l	43.9	49.9	39.9	250	1000
9	Residual, free Chlorine	mg/l	ND	ND	ND	0.2	1.0
10	Total Dissolved Solids	mg/l	260	291	260	500	2000
11	Calcium (as Ca)	mg/l	48.4	46.12	49.24	75	200
12	Magnesium (as Mg)	mg/l	13.12	12.24	12.52	30	100
13	Copper (as Cu)	mg/l	< 0.005	< 0.005	< 0.005	0.05	1.5
14	Manganese (as Mn)	mg/l	<0.005	< 0.005	<0.005	0.1	0.3
15	Sulphate (as SO ₄)	mg/l	21.2	24.8	20.8	200	400
16	Nitrate (as NO ₃)	mg/l	6.6	5.8	6.0	45	No Relaxation
17	Fluoride (as F)	mg/l	0.16	0.24	0.18	1.0	1.5
18	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	<0.001	<0.001	<0.001	0.001	0.002
19	Mercury (as Hg)	mg/l	< 0.001	< 0.001	< 0.001	0.001	No Relaxation
20	Cadmium (as Cd)	mg/l	<0.003	<0.003	<0.003	0.003	No Relaxation
21	Selenium (as Se)	mg/l	< 0.001	< 0.001	< 0.001	0.01	No Relaxation
22	Arsenic (as As)	mg/l	< 0.001	< 0.001	< 0.001	0.01	0.05

CEMC PVT. LTD., NABET(QCI) Accredited Category 'A' Consultant Organization.



An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,

Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

23	Cyanide (as CN)	mg/l	ND	ND	ND	0.05	No Relaxation
24	Lead (as Pb)	mg/l	< 0.005	< 0.005	< 0.005	0.01	No Relaxation
25	Zinc (as Zn)	mg/l	< 0.005	< 0.005	< 0.005	5	15
26	Chromium (as Cr)	mg/l	< 0.05	< 0.05	< 0.05	0.05	No Relaxation
27	Mineral Oil	mg/l	< 0.05	< 0.05	< 0.05	0.5	No Relaxation
28	Total Alkalinity (as CaCO ₃)	mg/l	92	80	90	200	600
29	Aluminium (as Al)	mg/l	< 0.005	< 0.005	< 0.005	0.03	0.2
30	Boron (as B)	mg/l	< 0.2	< 0.2	< 0.2	0.5	1.0
31	Total Coliform	MPN/100ml	Absent	Absent	Absent	Absent in 10	0 mL Sample
32	Faecal Coliform	MPN/100ml	Absent	Absent	Absent	Absent in 10	0 mL Sample

N.B: AL – Agreeable

END OF REPORT

Authorized Signatory

Notes:

➤ The result relate only to the sample tested.

➤ This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.

Environmenta

Seal of Labora

- ➤ The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- > This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,

Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/ASL/150725/SW

Issued Date-15.07.2025

WASTE TEST REPORT

Name of Company : Ardent Steel Ltd.
Sample Description : Waste material
Date of Monitoring : 23.06.2025
Date of Receiving : 25.06.2025
Date of Analysis : 25.06.2025

Sample Collected by : Mr. B.K.Samantaray

Sampling material : Used Oil

ANALYSIS RESULT

Sl. No	Parameter	Unit of measurement	As per HWMR-2016 Schedule-V,Part-A,Max	Used Oil
1	Polychlorinated biphenyls (PCBs)	ppm	<2	ND
2	Cadmium+Chromium+Nickel (as Cd+Cr+Ni)	ppm	500	4.0
3	Lead (as Pb)	ppm	100	0.43
4	Polyaromatic Hydrocarbon	%	6	ND
5	Arsenic (as As)	ppm	5.0	< 0.001

^{*}ND-Not Detected, ppm-parts per million

END OF REPORT

Authorized Signatory

Notes:

The results relate only to the sample tested.

➤ This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.

Environmenta Laboratory

- > The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- > This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

^{*}The test parameter is within the standard limit



An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,

Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/ASL/150725/WW

Issued Date-15.07.2025

WATER TEST REPORT

Name of Company : Ardent Steel Ltd., Keonjhar, Odisha.

Sample Description: Waste WaterDate of Monitoring: 23.06.2025Date of Receiving: 25.06.2025Date of Analysis: 25.06.2025

Sample Collected by : Mr. Rabindranath Das.

Sample Location : ETP OUTLET

ANALYSIS RESULT

Sl. No.	Parameter	Unit	Effluent Discharge Standard (a)	Testing Method	Result
1.	pH Value @ 25°C	-	6.5-9.0	APHA 4500 H ⁺ B	7.36
2.	Total Suspended Solids	mg/l	<100	APHA 2540 D	28.4
3.	B.O.D for 3 days @ 27°C	mg/l	<30	IS 3025(Part-44)	24
4.	C.O.D	mg/l	<250	APHA 5220 B	70
5.	Oil & grease	mg/l	<10	APHA 5520 B	<1

END OF REPORT

Authorized Signatory

Notes:

➤ The results relate only to the sample tested.

➤ This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.

Environmental Laboratory

- ➤ The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- > This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,

Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/ASL/150725/WW

Issued Date-15.07.2025

WATER TEST REPORT

Ardent Steel Ltd., Keonjhar, Odisha. Name of Company

Sample Description **Waste Water** Date of Monitoring 23.06.2025 Date of Receiving 25.06.2025 Date of Analysis 25.06.2025

Sample Collected by Mr. Rabindranath Das.

Sample Location **STP INLET**

ANALYSIS RESULT

Sl. No.	Parameter	Unit	Testing Method	Result
1.	pH Value @ 25°C	-	APHA 4500 H ⁺ B	6.81
2.	Total Suspended Solids	mg/l	APHA 2540 D	104
3.	B.O.D for 3 days @ 27°C	mg/l	IS 3025(Part-44)	150
4.	Faecal Coliform	MPN/100ml	IS 1622	>1600

END OF REPORT

zed Signatory

The results relate only to the sample tested.

This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.

Environmenta Laboratory

- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- > This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



An ISO 9001:2015, ISO 45001:2018 & ISO 14001:2015 Certified Company,

Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101, E-mail: cemclab@yahoo.in. Mobile: 9439050689

Report No. - CEMC/ASL/150725/WW

Issued Date-15.07.2025

WATER TEST REPORT

Name of Company : Ardent Steel Ltd., Keonjhar, Odisha.

Sample Description: Waste WaterDate of Monitoring: 23.06.2025Date of Receiving: 25.06.2025Date of Analysis: 25.06.2025

Sample Collected by : Mr. Rabindranath Das.

Sample Location : STP OUTLET

ANALYSIS RESULT

Sl. No.	Parameter	Unit	Effluent Discharge Standard (a)	Testing Method	Rresult
1.	pH Value @ 25°C	-	6.5-9.0	APHA 4500 H ⁺ B	7.61
2.	Total Suspended Solids	mg/l	<100	APHA 2540 D	34.4
3.	B.O.D for 3 days @ 27°C	mg/l	<30	IS 3025(Part-44)	22
4.	Faecal Coliform	MPN/100ml	<1000	IS 1622	37

END OF REPORT

Authorized Signatory

Notes:

The results relate only to the sample tested.

> This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.

Environmental Laboratory

- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.