



No. : KJR24D2115

Date: 07-Nov-2024

GOVERNMENT OF ODISHA

CERTIFICATE OF VERIFICATION

(See Rule 16 (3) Schedule – VIII of the Odisha Legal Metrology (Enforcement) Rules, 2011)

Office of the Legal Metrology Officer **KEONJHAR**, Camp/Place **Phuljhar,Keonjhar**

Name of Legal Metrology Officer **Miss. Hemalata Kishan No. OR-386**

I here by certify that I have this day verified and **STAMPED** the under mentioned weights, measures, etc., belonging to **Ardent Steel Private Limited (Ardent Steel Private Limited)** Locality **Vill Phuljhar, Via Suakati, Keonjhar, Odisha - 758085**, Name of the trade **Manufacturing Industry**

Quantity	Denomination	Weighing instruments	Measuring instruments	Verification fees	Carriage, Conveyance,
1	Non-automatic Weighing Instruments-ElectronicDigital Class III - Weigh Bridge, Capacity (Max) : 60 t MINIMUM CAPACITY-200kg.e-10kg. , Make : SEC , Model No. : SEW , SL No. : 205617 Addl Fee R17(2) : Rs.0.00, Addl Fee R17(3) : Rs.3000.00			3000.00	0.00
Verified and Stamped as per the Legal Metrology Act-2009&the Rule made thereunder.Total No.of Lead and Wire seal used to avoid fraudulent practice-03(i.e Digitiser with index plate-02&Junction box-01)&the calibration was disabled.					

[In the case of rejected weights, measures, etc. the Legal Metrology Officer shall give separate Certificate of rejection mentioning the reasons of rejection against each item]

Total Rs. **6000.00** deposited vide T. Receipt / Money Receipt No. **381E1807E6** dated **2024-10-23**

Repaired by / Used by **M/S Weighmax Weighing System** (Signature)

NEXT VERIFICATION DUE ON **07-Nov-2025**

Legal Metrology Officer , KEONJHAR

Note:1.The Certificate is to be exhibited in a conspicuous place in the related premises as per Rule 24
2.If the weight or measure is repaired or reinstalled, these shall not be put into use unless it has been duly re-verified and stamped, notwithstanding that periodical re-verification of such weight or measure has not become due as per Rule 20.