

Ag. No:- 787 dt 15/7/24



ଓଡ଼ିଶା ओडिशा ODISHA

67AA 190324

FORM-K

RENEWAL OF AGREEMENT FOR SUPPLY OF WATER FOR THE PURPOSE OF
INDUSTRIAL/COMMERCIAL USE

THIS TEMPORARY AGREEMENT is made on the 15th day of July Two Thousand Twenty-
Four

BETWEEN

M/s Ardent Steel Private Limited At-Phuljhar, Po-Phuljhar, Via-Bansapal, Dist-Keonjhar (Odisha) represented by its Asst. General Manager (HR,IR & Admin), Sri Ranjan Kumar Nayak, S/o-Shri Baman Charana Nayak, aged about 44 years of At/PO-Inchol, Via-Hatadihi, PS-Nandipada, Dist-Keonjhar, PIN-758083, (Odisha) Employee of the applicant by profession, the authorized representative of, M/s Ardent Steel Private Limited (Hereinafter called **The Applicant**) of the first part.

AND

For Ardent Steel (P) Ltd
Ranjan Kumar Nayak
AGM (HR, IR & Admin)

Superintending Engineer,
Baitarani Irrigation Division
Salapada

15/7/24



ଓଡ଼ିଶା ओडिशा ODISHA

67AA 190323

The Governor of Odisha represented by Executive Engineer, Baitarani Division, Keonjhar which expression unless repugnant to the context, shall include his successors and assigns (hereinafter called The Government) of the third part.

WHEREAS, the applicant has made an application for supply of water from Government water source (Ground Water from Bore Well) for the period as mentioned in the Schedule; hereto annexed;

AND, WHEREAS, the sureties have agreed to stand surety for payment of rates charges for such supply in the manner hereinafter appearing and the Government has agreed to supply water for the purpose specified in the schedule annexed hereto;

SCHEDULE

Purpose for which Water will be supplied	Volume of water	Period of supply	The Place at which it will be Supplied.
(1)	(2)	(3)	(4)
For Industrial purpose	0.20 Cusecs from Ground Water <i>0.20 m³/m²</i>	For 1(One) Year w.e.f 15.07.2024 <i>(15.07.2024)</i>	To be drawn from ground water source inside the plant premises through Three Nos. of bore well

For Ardent Steel (P) Ltd
Ranjan Kumar Nayak
AGM (HR, IR & Admin)

[Signature]
Superintending Engineer,
Baitarani Irrigation Division
Salaogada
[Signature]
15/7/24



ଓଡ଼ିଶା ओडिशा ODISHA

67AA 190326

1. **M/s Ardent Steel Private Limited** shall make suitable arrangement to take the water from the Government water source at which it will be supplied. **M/s Ardent Steel Private Limited** shall not use the water supplied to him for any purpose other than that which is specified in the schedule
2. If the water rate/license fees for the aforesaid quantity of water or any part thereof, is not paid on or before the date specified in agreement it shall become payable at once (unless the Government sanctions for special reason an extension of time) and **M/s Ardent Steel Private Limited** and the sureties shall be liable jointly and severally to pay the same with compound interest at the rate of two percent *per mensem* from the date of default. All amount due to the Government under terms of these presents shall if not paid in time, be recoverable as a public demand under the Orissa Public Demands Recovery Act, 1962.

For Ardent Steel (P) Ltd
Ranjan Kumar Nayak
AGM (HR, IR & Admin)

Superintending Engineer
Baitarani Irrigation Division
Satapada

15/7/24

भारतीय गैर न्यायिक



INDIA NON JUDICIAL

ଓଡ଼ିଶା ओडिशा ODISHA

67AA 190327

3. (i) **M/s Ardent Steel Private Limited** shall be liable for criminal and civil action if by drawal of water, the rights of any third party are affected and shall indemnify the Government against all claims for damage preferred by person or persons affected by the permission granted.

(ii) **M/s Ardent Steel Private Limited** shall not without prior permission in writing from the Government lay pipeline on Government or communal lands. If the pipe lines have to pass through Government lands permission of the Government for this shall be taken separately which may be granted subject to the protection of rights of Government or community, as the case may be.

(iii) **M/s Ardent Steel Private Limited** shall not draw or lift water more than the quantity mentioned in the requisition or order and not exceeding the volume mentioned in the Schedule except with the prior approval of the Government.

For Ardent Steel (P) Ltd

Ranjan Kumar Nayak
AGM (HR, IR & Admin)

Superintending Engineer
Baitarani Irrigation Division
Salapada



ଓଡ଼ିଶା ओडिशा ODISHA

67AA 190316

The Executive Engineer shall assess the fees to be charged as per Unit/quantity of water drawn or allocated whichever is higher. If drawal is more than the allocation, a penal rate at six times the rate specified in Schedule III shall be charged on the quantity of excess drawal, in addition to the normal bill on allocated quantity. The excess drawal is permissible for a maximum period of six months, within which licensee shall have to apply for a higher allocation of water with reason where the licensee fails to so apply for such higher allocation or where the licensee is refused for such higher allocation, the agreement shall be liable to cancellation and the water supplied shall be stopped thereafter.

(iv) The permission granted shall not be deemed to exempt **M/s Ardent Steel Private Limited** from liability to payment of water charges lawfully assessable at the rate as may be prescribed by Govt. from time to time.

v) Government reserves the right to suspend or cancel the permission in case of violation of any of the covenants.

For Ardent Steel (P) Ltd
Ranjan Kumar Nayak
AGM (HR, IR & Admin)

Superintending Engineer
Baitarani Irrigation Division
Salapada

15/7/24



ଓଡ଼ିଶା ओडिशा ODISHA

67AA 190317

4. **M/s Ardent Steel Private Limited** at his own cost shall install a Flow Meter or a suitable measuring device for measurement of water drawn or lifted by him from the Govt. water source as per the procedure laid down in rule 23-A(b). The Executive Engineer shall visit the location of drawal or lifting of water, verify the quantities of water drawn or lifted by **M/s Ardent Steel Private Limited** and ensure such control as may be necessary for administering the drawal or lifting of water. Assessment of water rate shall be made as per the quantity of water drawn or allocated whichever is higher. In case of any defect or non-functioning of the Flow Meter, the licensee shall bring the fact to the notice of the Executive Engineer forthwith and take appropriate steps to remove the defects in the Meter or for replacement thereof within a period of three months and in such cases the fees shall be charged on the quantity of water allocated for the said period of three months or till the defect in the Meter is removed or the Meter replaced, as the case may be whichever is earlier, and where the licensee fails to bring the defect or non-functioning of the Meter to the notice of the Executive Engineer or

For Ardent Steel (P) Ltd

Ranjan Kumar Nayak
AGM (HR, IR & Admin)

Superintending Engineer
Baitarani Irrigation Division
Salapada

15/7/24



ଓଡ଼ିଶା ओडिशा ODISHA

67AA 190318

7. The drawal mechanism for raw water and disposal system of effluent to be established by the industry without disturbing existing eco system and environmental set up.
8. In case of any dispute / interpretation required, the decision of the Government in Water Resources Department shall be final.
9. The allocation of water will automatically lapse if the company does not use the water for the purpose applied for within three years of allotment.
10. The agreement shall be valid for a period of one year from the date of execution subject to the renewal of agreement by the Executive Engineer. For renewal of the agreement, the concerned drawee has to apply minimum three months before the expiry of the agreement.
11. If it is found that the industry is drawing water unauthorisedly before signing the agreement / installation of flow-meter, the Executive Engineer will charge a penal rate at six times the normal rate as provided in Schedule III of the Rule.

For Ardent Steel (P) Ltd
Ranjan Kumar Nayak
AGM (HR, IR & Admin.)

Superintending Engineer
Baitarani Irrigation Division
Salapada

15/7/24



ଓଡ଼ିଶା ओडिशा ODISHA

67AA 190319

12. Government shall be at liberty to review the water allocation unilaterally in case of exigencies.
13. The Executive Engineer or his authorized representative reserves the right to inspect all installations of drawal and disposal mechanism during and after construction including intake structure, flow meter and treatment plant.
14. The agreement to be executed by the Industry/ commercial establishment with local authority/ Executive Engineer must be approved by the DoWR before drawal of water.

Additional Terms & Conditions:

15. M/s Ardent Steel Private Limited will have to adopt water harvesting, rooftop water harvesting, ground water recharge and recycling of waste water measures in its plant premises as per the approved water management plan.

For Ardent Steel (P) Ltd

Ranjana Kumar Nayak
AGM (HR, IR & Admin)

[Signature]
Superintending Engineer
Baitarani Irrigation Division
Salapada

[Signature]
15/7/24



ଓଡ଼ିଶା ओडिशा ODISHA

69AA 653054


fails to remove the defects in the Meter or to replace the same, as the case may be, within a period of three months, the agreement shall be liable to cancellation and thereafter the water supply shall be stopped.

5. **M/s Ardent Steel Private Limited** shall construct full proof effluent discharge plant before commissioning of the project. For proper test of such effluent there shall be computerized testing system and **M/s Ardent Steel Private Limited** shall give details of effluent discharged in the natural source (in river or nala).
6. M/s Ardent Steel Private Limited has already been paid 1 (year) advance water charges in shape of Bank Guarantee bearing BG No. 1207224BG0000002 Dt. 15.07.2024 amounting to Rs. 21,86,064/- in favour of Superintending Engineer concerned duly discharged by the company as non - interest bearing security deposit in favour of concerned Superintending Engineer. Onus of maintaining the Bank Guarantee lies with the company.

For Ardent Steel (P) Ltd

Ranjan Kumar Nayak
AGM (HR, IR & Admin)


Superintending Engineer
Baitarani Irrigation Division
Salapada


15/7/24



ଓଡ଼ିଶା ओडिशा ODISHA

67AA 190320

16. **M/s Ardent Steel Private Limited** shall follow the zero effluent discharge principle and satisfy State Pollution Control Board (SPCB) norms and obtain requisite permissions from the SPCB, Odisha before drawal of operational water.
17. In case, **M/s Ardent Steel Private Limited** intends to supply bulk water to Municipalities, Notified Area Councils, other local authorities and cluster of villages, **M/s Ardent Steel Private Limited** shall install separate flow meter or measuring device, as the case may be, at a suitable place along the pipe line to ensure quantum of water supplied to such Municipalities, Notified Area Councils, other local authorities and cluster of villages for drinking and washing etc. in addition to installation of the flow meter under clause 23-A (1)(b) which shall be treated as industrial or commercial use and license fee for such industrial or commercial use shall be at the rate double the existing rate as provided in item 3 (ii) of schedule-III.

For Ardent Steel (P) Ltd

Ranjan Kumar Nayak
AGM (HR, IR & Admin.)

Superintending Engineer
Baitarani Irrigation Division
Selapada

15/7/24

भारतीय गैर न्यायिक



INDIA NON JUDICIAL

ଓଡ଼ିଶା ओडिशा ODISHA

67AA 190321

18. **M/s Ardent Steel Private Limited** shall abide by the conditions laid down by the competent authority of DoWR during approval of scheme of drawal.
19. **M/s Ardent Steel Private Limited** shall make adequate arrangement for monitoring Ground Water level through installation of piezometer or through any other approved mechanism.
20. **M/s Ardent Steel Private Limited** shall abide by the conditions laid down in the NOC issued by CGWA and DLEC.
21. **M/s Ardent Steel Private Limited** shall undertake water utilization audit in every three years and make the report available for scrutiny by the competent authority of DoWR.

For Ardent Steel (P) Ltd

Ranjan Kumar Nayak
AGM (HR, IR & Admin.)


15/7/21
Superintending Engineer
Baitarani Irrigation Division
Salapada


15/7/21



ଓଡ଼ିଶା ओडिशा ODISHA

67AA 190322

22. License fees shall be charged and collected at the rate as specified in the Schedule -III per unit or quantity of water actually drawn or allocated whichever is higher and shall be enhanced at the rate of ten percent per annum with effect from the first day of April;

In Witness whereof the parties hereto have put their hands and seals the day and year first above-written.

Ravi

In the presence of witness:

For Ardent Steel (P) Ltd

Ranjan Kumar Nayak
AGM (HR, IR & Admin)
Signature of applicant

In the presence of witness:

Signature of surety

Satipada
Superintending Engineer
Baitarani Irrigation Division
SIGNATURE OF THE EXECUTIVE ENGINEER
for and on behalf of the Government of Odisha."

Satipada
15/7/24