




CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

An ISO 9001-2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF(Wildlife) & CWLW, Odisha Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India) MoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

Reference No : **CEMC/ASL/Mar-A-03/20**
 Name of Company : **Ardent Steel Ltd.**
 Sample Description : **Ambient Air**
 Date of Monitoring : **11.03.2020**
 Date of Receiving : **13.03.2020**
 Date of Analysis : **13.03.2020**
 Sample Collected by : **Mr. S Behera**

AMBIENT AIR QUALITY TEST REPORT (24 HOURLY AVERAGE)

Sl. No.	LOCATION	MONITORING REPORT					
		PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO _x ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	NH ₃ ($\mu\text{g}/\text{m}^3$)
1	At the boundary near the water harvesting pond (East Direction)	68.3	35.6	11.5	16.4	0.5	<20
2	At the Boundary near ESP (South Direction)	71.4	36.8	11.9	16.1	0.5	<20
3	At the Boundary near Coal Fines Stock yard (North Direction)	67.8	35.2	12.4	16.7	0.6	<20
4	Near Ball mill, Iron ore fines stock yard	73.1	36.5	12.1	14.2	0.5	<20
NAAQ Standard		100 ($\mu\text{g}/\text{m}^3$)	60 ($\mu\text{g}/\text{m}^3$)	80 ($\mu\text{g}/\text{m}^3$)	80 ($\mu\text{g}/\text{m}^3$)	4.0 (mg/m^3)	400 ($\mu\text{g}/\text{m}^3$)


Authorized Signatory
Notes:



- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS& GIS, Baseline Survey, Hydrological & Geological Studies, Socio-economic Studies, DGPS & ETS Survey.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
 E-mail- cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemc.in.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,
 E-mail: cemclab@yahoo.in, Mobile: 9937631956, 8895177314



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.


An ISO 9001-2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha
Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF(Wildlife) & CWLW, Odisha
Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
MoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

Reference No : CEMC/ASL/Mar-F-03/20
Name of Company : Ardent Steel Ltd.
Sample Description : Fugitive Air
Date of Monitoring : 11.03.2020
Date of Receiving : 13.03.2020
Date of Analysis : 13.03.2020
Sample Collected by : Mr. S Behera

FUGITIVE EMISSION TEST REPORT

Sl. No.	LOCATION	RESULT	
		RSPM ($\mu\text{g}/\text{m}^3$)	SPM ($\mu\text{g}/\text{m}^3$)
1	Proportioning System (Ash & Coke Fines Bunker)	302	1097
2	Raw Material Transfer point of Mixture (Mixture Building)	286	1073
3	Ball Mill (Cool Grinding)	294	1161
4	Ball Mill (Flux & Coke Grinding)	273	1124
5	Finished Product Transfer points and plant de-dusting system	245	1031
6	Travelling Grate & Rotary Kiln	301	1107
MoEF Standard for SPM		--	2000*

* The standard is applicable at 10 m distance from the source


Authorized Signatory



Notes:

- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS& GIS, Baseline Survey, Hydrological & Geological Studies, Socio-economic Studies, DGPS & ETS Survey.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail- cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemc.in.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,
E-mail: cemclab@yahoo.in, Mobile: 9937631956, 8895177314



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

An ISO 9001-2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha
Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF(Wildlife) & CWLW, Odisha
Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
MoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.


Reference No : CEMC/ASL/Mar -N-03/20
Name of Company : Ardent Steel Ltd.
Sample Description : Noise Monitoring Report
Date of Monitoring : 11.03.2020
Sample Collected by : Mr.S Behera

NOISE LEVEL STUDY REPORT

Sl. No.	Location	Noise Level In Day Time dB(A)	Noise Level In Night Time dB(A)
01	Ball Mill (Cool Grinding)	74.1	68.7
02	Raw Material Transfer point of Mixture (Mixture Building)	71.9	69.2

NATIONAL STANDARD NOISE LEVEL

Area Code	Category of Area/Zone	Permissible Limit in dB (A)	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40


Authorized Signatory
Notes:



- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS& GIS, Baseline Survey, Hydrological & Geological Studies, Socio-economic Studies, DGPS & ETS Survey.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail- cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemc.in.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,
E-mail: cemclab@yahoo.in, Mobile: 9937631956, 8895177314




CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

An ISO 9001-2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha
Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF(Wildlife) & CWLW, Odisha
Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
MoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

Reference No : CEMC/ASL/Mar -ST-03/20
Name of Company : Ardent Steel Ltd.
Sample Description : Stack Monitoring
Date of Monitoring : 11.03.2020
Sample Collected by : Mr. S Behera
Stack Height : 30m

STACK EMISSION REPORT

Sl. No.	Location of Sampling	Flue Gas Temp. in K	Concentration of Particulate Matter (PM) in mg/Nm ³
			Result
01	ESP	388	49.3


Authorized Signatory
Notes:




- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS& GIS, Baseline Survey, Hydrological & Geological Studies, Socio-economic Studies, DGPS & ETS Survey.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail- cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemc.in.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,
E-mail: cemclab@yahoo.in, Mobile: 9937631956, 8895177314



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.


An ISO 9001-2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha
Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF(Wildlife) & CWLW, Odisha
Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
MoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

Reference No : CEMC/ASL/Mar-GW-03/20
Name of Company : Ardent Steel Ltd.
Sample Description : Ground Water
Date of Monitoring : 11.03.2020
Date of Receiving : 13.03.2020
Date of Analysis : 13.03.2020
Sample Collected by : Mr. S Behera
Sample Location : Canteen(RO Water)

GROUND WATER TEST REPORT

Sl. No	Parameter	Unit	Desired Limit of drinking water (BIS:10500:2012)	Permissible Limit of drinking water (BIS:10500:2012)	Result
1	Colour	Hazen	5	15	<5
2	Odour	-	Agreeable	Agreeable	AL
3	Taste	-	Agreeable	-	AL
4	Turbidity	NTU	1	5	<1
5	pH Value @ 25°C	-	6.5-8.5	No Relaxation	6.38
6	Total Dissolved Solid	mg/l	500	2000	49
7	Alkalinity as CaCO ₃	mg/l	200	600	32
8	Total Hardness as CaCO ₃	mg/l	200	600	22
9	Iron as Fe	mg/l	0.3	No Relaxation	0.05
10	Nitrate as NO ₃ ⁻ -N	mg/l	45	No Relaxation	0.21
11	Sulphate as SO ₄	mg/l	200	400	1.2
12	Fluoride as F	mg/l	1.0	1.5	<0.05
13	Calcium as Ca	mg/l	75	200	6.41
14	Chloride as Cl ⁻	mg/l	250	1000	2.3

N.B: AL – Agreeable


Authorized Signatory
Notes:


Seal of Laboratory

- The result relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS& GIS, Baseline Survey, Hydrological & Geological Studies, Socio-economic Studies, DGPS & ETS Survey.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail- cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemc.in.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,
E-mail: cemclab@yahoo.in, Mobile: 9937631956, 8895177314



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.


An ISO 9001-2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha
Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF(Wildlife) & CWLW, Odisha
Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
MoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

Reference No : CEMC/ASL/Mar -SW-03/20
Name of Company : Ardent Steel Ltd.
Sample Description : Surface Water
Date of Monitoring : 11.03.2020
Date of Receiving : 13.03.2020
Date of Analysis : 13.03.2020
Sample Collected by : Mr. S Behera
Sample Location : Reservoir

SURFACE WATER TEST REPORT

Sl. No	Parameter	Unit	GSR 422E Standards	Result
1	Colour	Hazen	--	6
2	Odour	-	--	U/O
3	pH Value @ 25°C	-	5.5-9.0	7.28
4	Total Dissolved Solid	mg/l	2100	357.6
5	Iron as Fe	mg/l	3.0	0.30
6	Sulphate as SO ₄	mg/l	1000	15.4
7	Nitrate as NO ₃ ⁻ -N	mg/l	50	13.9
8	Boron as B	mg/l	2.0	0.15
9	BOD for 3 days @ 27°C	mg/l	30	2.2
10	COD	mg/l	250	19.2

N.B: U/O- Un-objectionable


Authorized Signatory

Notes:

- The result relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



Seal of Laboratory

Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS& GIS, Baseline Survey, Hydrological & Geological Studies, Socio-economic Studies, DGPS & ETS Survey.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail- cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemc.in.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,
E-mail: cemclab@yahoo.in, Mobile: 9937631956, 8895177314



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

An ISO 9001-2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF(Wildlife) & CWLW, Odisha Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India) MoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

Reference No : CEMC/ASL/Mar-WW-03/20
Name of Company : Ardent Steel Ltd.
Sample Description : Waste Water
Date of Monitoring : 11.03.2020
Date of Receiving : 13.03.2020
Date of Analysis : 13.03.2020
Sample Collected by : Mr. S Behera
Sample Location : STP Outlet

ANALYSIS RESULT

Sl. No.	Parameter	Unit	Effluent Discharge Standard	Testing Method	Result
1.	pH Value @ 25°C	--	6.5-9.0	APHA 4500 H ⁺ B	7.37
2.	Total Suspended Solids	mg/l	<20	APHA 2540 D	12.9
3.	B.O.D for 3 days @ 27°C	mg/l	<10	APHA 5210 B	9.2
4.	COD	mg/l	<50	APHA 5220 C	38
5.	Oil & Grease	mg/l	--	APHA 5520 B	1.1

Authorized Signatory

Notes:

- The result relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



Seal of Laboratory

Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS& GIS, Baseline Survey, Hydrological & Geological Studies, Socio-economic Studies, DGPS & ETS Survey.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail: cemc_consultancy@yahoo.co.in, cemc122@gmail.com, website: www.cemc.in.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,
E-mail: cemclab@yahoo.in, Mobile: 9937631956, 8895177314