



ARDENT STEEL LIMITED

CIN - U27310CT2007PLC007671

ASL/ Pollution/2018-19

Dt.18.02.2019

The Regional Officer,
State Pollution Control Board,
Keonjhar Region,
Keonjhar

Sub : Submission of Monthly Environmental Monitoring Report.

Dear Sir,

Enclosed please find herewith the copy of the monthly Environmental Report of our Industry for the **month of JANUARY ,2019** conducted by our authorized consultant viz. M/s Centre for Envotech and Management Consultancy Pvt. Ltd., BBSR for your reference and record.

Kindly acknowledge the receipt of the same.

Thanking you,

Yours faithfully,
For **ARDENT STEEL LIMITED**

NARASINGH SAHOO
MANAGER (CORPORATE AFFAIRS)

Encl : As above



ENVIRONMENTAL MONITORING REPORT

Of

M/s ARDENT STEEL LTD

Keonjhar, Odisha

JANUARY 2019

Centre For Envotech and Management Consultancy Pvt. Ltd.
Environmental Laboratory

(AN ISO: 9001: 2008 and 18001: 2007 certified company, Empanelled with SPCB, Odisha)

MoEF & CC Govt. of India Recognised Environmental Laboratory

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar – 752101, Odisha

Tele: 0674 - 2460826, 7752014842

E-mail: cemclab@yahoo.in, Website: www.cemc.in





CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

An ISO 9001:2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha
Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCE(Wildlife) & CWLW, Odisha
Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
MoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

Reference No : CEMC/ASL/Jan-A-01/19
Name of Company : Ardent Steel Ltd
Sample Description : Ambient Air
Date of Monitoring : 10.01.2019
Date of Receiving : 11.01.2019
Date of Analysis : 11.01.2019
Sample Collected by : Santosh Kumar Mohanty

AMBIENT AIR QUALITY TEST REPORT (24 HOURLY AVERAGE)

Sl. No.	LOCATION	MONITORING REPORT					
		PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO _x ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	NH ₃ ($\mu\text{g}/\text{m}^3$)
1	At the boundary near the water harvesting pond (East Direction)	71.1	36.6	13.8	18.6	0.31	<20
2	At the Boundary near ESP (South Direction)	73.9	40.2	14.4	18.3	0.44	<20
3	At the Boundary near Coal Fines Stock yard (North Direction)	68.8	34.7	13.1	17.6	0.39	<20
NAAQ Standard		100 ($\mu\text{g}/\text{m}^3$)	60 ($\mu\text{g}/\text{m}^3$)	80 ($\mu\text{g}/\text{m}^3$)	80 ($\mu\text{g}/\text{m}^3$)	4.0 (mg/m^3)	400 ($\mu\text{g}/\text{m}^3$)


Authorized Signatory
Notes:



- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS& GIS, Baseline Survey, Hydrological & Geological Studies, Socio-economic Studies, DGPS & ETS Survey.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail: ccmc_consultancy@yahoo.co.in, ccmc122@gmail.com, website: www.ccmc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

An ISO 9001:2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha
Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF(Wildlife) & CWLW, Odisha
Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
MoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

Reference No	:	CEMC/ASL/Jan-A-02/19
Name of Company	:	Ardent Steel Ltd
Sample Description	:	Fugitive Air
Date of Monitoring	:	10.01.2019
Date of Receiving	:	11.01.2019
Date of Analysis	:	11.01.2019
Sample Collected by	:	Santosh Kumar Mohanty

FUGITIVE EMISSION TEST REPORT

Sl. No.	LOCATION	RESULT	
		RSPM ($\mu\text{g}/\text{m}^3$)	SPM ($\mu\text{g}/\text{m}^3$)
1	Proportioning System (Ash & Coke Fines Bunker)	531	1018
2	Raw Material Transfer point of Mixture (Mixture Building)	484	1077
3	Ball Mill (Cool Grinding)	508	1099
4	Ball Mill (Flux & Coke Grinding)	498	1084
5	Finished Product Transfer points and plant de-dusting system	512	854
6	Travelling Grate & Rotary Kiln	507	898
MoEF Standard		--	2000*

* The standard is applicable at 10 m distance from the source

Authorized Signatory

Notes:

- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS& GIS, Baseline Survey, Hydrological & Geological Studies, Socio-economic Studies, DGPS & ETS Survey.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail- ccmc_consultancy@yahoo.co.in, ccmc122@gmail.com, website: www.ccmc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,
E-mail: cemclab@yahoo.in, Mobile: 9937631956, 8895177314



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

An ISO 9001:2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha
Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF(Wildlife) & CWLW, Odisha
Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
MoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

Reference No	:	CEMC/ASL/Jan-N-01/19
Name of Company	:	Ardent Steel Ltd
Sample Description	:	Noise Monitoring Report
Date of Monitoring	:	10.01.2019
Date of Receiving	:	11.01.2019
Date of Analysis	:	11.01.2019
Sample Collected by	:	Santosh Kumar Mohanty

NOISE LEVEL STUDY REPORT

Sl. No.	Location	Noise Level In Day Time dB(A)	Noise Level In Night Time dB(A)
01	Ball Mill (Cool Grinding)	73.9	69.1
02	Raw Material Transfer point of Mixture (Mixture Building)	71.2	65.7

NATIONAL STANDARD NOISE LEVEL

Area Code	Category of Area/Zone	Permissible Limit in dB (A)	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Authorized Signatory
Notes:



- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS& GIS, Baseline Survey, Hydrological & Geological Studies, Socio-economic Studies, DGPS & ETS Survey.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail- ccmc_consultancy@yahoo.co.in, ccmc122@gmail.com, website: www.ccmc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,
E-mail: cemclab@yahoo.in, Mobile: 9937631956, 8895177314



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

An ISO 9001-2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha
Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCGF(Wildlife) & CWLW, Odisha
Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
MoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

Reference No	:	CEMC/ASL/Jan-SE-01/19
Name of Company	:	Ardent Steel Ltd.
Sample Description	:	Stack Monitoring
Date of Monitoring	:	10.01.2019
Date of Receiving	:	11.01.2019
Date of Analysis	:	11.01.2019
Sample Collected by	:	Santosh Kumar Mohanty
Stack Height	:	30m

STACK EMISSION REPORT

Sl. No.	Location of Sampling	Flue Gas Temp. in K	Concentration of Particulate Matter (PM) in mg/Nm ³
			Result
01	ESP	398	71.5


Authorized Signatory
Notes:



- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS& GIS, Baseline Survey, Hydrological & Geological Studies, Socio-economic Studies, DGPS & ETS Survey.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826

E-mail- ccmc_consultancy@yahoo.co.in, ccmc122@gmail.com, website: www.ccmc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

An ISO 9001:2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha
Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF(Wildlife) & CWLW, Odisha
Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
MoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

Reference No : CEMC/ASL/Jan GW-01/19
Name of Company : Ardent Steel Ltd.
Sample Description : Ground Water
Date of Sampling : 10.01.2019
Date of Receiving : 11.01.2019
Date of Analysis : 11.01.2019
Sample Collected by : Santosh Kumar Mohanty
Sample Location : Office Site Bore Well

GROUND WATER TEST REPORT

SL No	Parameter	Unit	Desired Limit of drinking water (BIS:10500:2012)	Permissible Limit of drinking water (BIS:10500:2012)	Result
1	Colour	Hazen	5	15	<5
2	Odour	-	Agreeable	Agreeable	AL
3	Taste	-	Agreeable	-	AL
4	Turbidity	NTU	1	5	<1
5	pH Value @ 25°C	-	6.5-8.5	No Relaxation	6.95
6	Total Dissolved Solid	mg/l	500	2000	322
7	Alkalinity as CaCO ₃	mg/l	200	600	80
8	Total Hardness as CaCO ₃	mg/l	200	600	124
9	Iron as Fe	mg/l	0.3	No Relaxation	0.25
10	Nitrate as NO ₃ ⁻ -N	mg/l	45	No Relaxation	5.4
11	Sulphate as SO ₄	mg/l	200	400	14.4
12	Fluoride as F	mg/l	1.0	1.5	0.2
13	Calcium as Ca	mg/l	75	200	30.8
14	Chloride as Cl ⁻	mg/l	250	1000	39.99

N.B: AL – Agreeable


Authorized Signatory

Notes:

- The result relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS& GIS, Baseline Survey, Hydrological & Geological Studies, Socio-economic Studies, DGPS & ETS Survey.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail- ccmc_consultancy@yahoo.co.in, ccmc122@gmail.com, website: www.ccmc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

An ISO 9001:2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha
Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF(Wildlife) & CWLW, Odisha
Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
MoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

Reference No : CEMC/ASL/Jan SW-01/19
Name of Company : Ardent Steel Ltd.
Date of Sampling : 10.01.2019
Sample Description : Surface Water
Date of Receiving : 11.01.2019
Date of Analysis : 11.01.2019
Sample Collected by : Santosh Kumar Mohanty
Sample Location : Reservoir

SURFACE WATER TEST REPORT


Sl. No	Parameter	Unit	GSR 422E Standards	Result
1	Colour	Hazen	--	12
2	Odour	-	--	U/O
3	pH Value @ 25°C	-	5.5-9.0	6.84
4	Total Dissolved Solid	mg/l	2100	152
5	Iron as Fe	mg/l	3.0	1.95
6	Sulphate as SO ₄	mg/l	1000	58.7
7	Nitrate as NO ₃ ⁻ -N	mg/l	50	15.9
8	Boron as B	mg/l	2.0	0.5
9	BOD for 3 days @ 27°C	mg/l	30	2.8
10	COD	mg/l	250	30

N.B: U/O- Un-objectionable


Authorized Signatory

Notes:

- The result relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.



Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS& GIS, Baseline Survey, Hydrological & Geological Studies, Socio-economic Studies, DGPS & ETS Survey.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail- ccmc_consultancy@yahoo.co.in, ccmc122@gmail.com, website: www.ccmc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,

E-mail: ccmclab@yahoo.in, Mobile: 9937631956, 8895177314



ACCREDITATION -AND EMPANELMENT

Centre for Envotech and Management Consultancy Pvt. Ltd.

An ISO 9001-2008 & OHSAS 18001:2007 Certified Company,

Empanelled with:

- State Pollution Control Board (SPCB), Odisha as Environment Consultant under category –'A'.
- Orissa Construction Corporation Limited (OCCL) as Associated Consultant for carrying out EIA, FDP, Preparation of Wildlife Management Plan, GIS map, Socioeconomic survey, DGPS & ETS survey.
- Orissa Space Application Centre (ORSAC) for carrying out DGPS & ETS survey.
- Office of the Principal Chief Conservator of Forest (Wildlife) & Chief Wildlife Warden [PCCF (Wildlife) & CWLW], Odisha for preparation of Site Specific Wildlife Management Plans.

Accredited by:

- NABET, QCI for EIA Studies as 'A' Category Consultant Organization.
- NABL Accreditation Lab.

Enlisted in:

- Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India) for carrying out EIA, Waste Management & Audit, Turnkey solution of ETP & STP, Site Specific Wildlife Conservation Plan & Forest Diversion Proposals.